THE AUSTRALIAN SPHERES

A number of readers have asked us for latest information concerning the mystery spherical objects which fell on Australian soil during 1963. Brief reference was made to these incidents in the World Round Up section of the FLYING SAUCER REVIEW, but no further evidence of a conclusive nature has been received. We print the following summary of the mystery with due acknowledgements to the UFO Investigator (June-September issue), the official bulletin of the National Investigations Committee on Aerial Phenomena of Washington, D.C., U.S.A.

The odd metal "space" spheres found in New South Wales and Australia, in April and mid-July 1963, still have not been identified, according to the Australian Minister of Supply, Mr. Allen Fairhall. Minister Fairhall stated that his inquiries to the U.S. and U.S.S.R. space agencies have drawn a blank.

The first mystery ball, 12lb. hollow sphere 14 inches in diameter, was discovered on April 8, 1963, in a desolate part of Bouilla Station, New South Wales. Mr. J. McLure, who found it, said no one else had been in the area for 50 years. Scientists failed in their efforts to open the sphere with files and hacksaws.

On April 30, Minister Fairhall told the House of Representatives that the sphere had been definitely identified as part of a space vehicle. He said it had not yet been opened as it might contain

"something of scientific interest." He added, "It's a million-to-one chance that a piece of orbiting hardware should survive the temperature of re-entry and be recovered in one piece." Australian scientists said later it might have been protected by a heat shield.

On June 28, the second "space ball" fell, in New South Wales, 60 miles from the first location. This one weighed 18 lb. and was 16 inches in diameter. It was made of the same puzzling metal.

The third sphere fell on July 12, near Muloorina, in South Australia. It was six inches in diameter and had an opening in it.

Earlier, Australian officials had said the first sphere would be cut in half for scientific examination. To date, so far as NICAP can learn, there have been no further announcement.

The highly technical work and cost required to build such spheres seems to rule out any hoax answer. Both the U.S. and U.S.S.R. have denied any connection. Even if the spheres were earth-made, all three would hardly fall by accident in this one area. To drop them there deliberately would require precise re-entry by remote-control, also retro-firing jets, which the spheres did not have.

If they were extraterrestrial, some more advanced control mechanism might be used. In this case, the Australian Government may have found the answer—and possibly a clue to their purpose—on opening the spheres. To the best of our knowledge, Australian officials have been silent as to what was discovered.

Awards for Essays on Gravity

In 1964 for our Fifteenth Year the Trustees are offering Five Awards for short Essays for the purpose of stimulating thought and encouraging work on Gravity. The stipulations follow:

(1) These Awards will be made by us on June 1, 1964 for the best 1500 word essays * on what Gravity is, how it works and how it may be controlled.

(2) The First Award will be \$1000.00; the Second Award will be \$300.00; the Third Award will be \$200.00; the Fourth Award will be \$150.00; the Fifth Award will be \$100.00.

(3) Essays must be received before April 15, 1964. One essay only will be accepted from anyone who is seriously interested in the application of Gravity to practical uses for the benefit of humanity.

the benefit of humanity.

(4) All essays must be typewritten, double spaced, in English, with two carbon copies.

- (5) The decision of the Judges will be final. No essays or copies can be returned but writers are free to publish after June first. Preference will be given to essays written especially for these Awards.
- (6) Please write a title covering the area of thought expressed in your essay; and a summary paragraph of 100 words or less on a separate sheet.
- (7) Please attach a separate sheet giving a short biographical sketch of yourself for use by the press in case you earn an Award.

Address: Gravity Research Foundation, New Boston, N.H. George M. Rideout, President.

* It may be less than 1,500 words; but if more the judges have the right not to accept same.

A DESCRIPTIVE STUDY OF THE ENTITIES ASSOCIATED WITH THE TYPE 1 SIGHTING

by Jacques Vallée

(1) The Problem of the Type — I Sightings

The Flying Saucer phenomenon is not included among the scientific questions held to be important. And yet a detailed study of it could perhaps lead to a considerable modification in our conceptions of the Universe.

Among the few scientists who take a more or less clandestine interest in the saucer problem it remans an open question whether or not sightings of UFOs were made in times previous to our own epoch. But the majority of investigators concern themselves with the sightings that have occurred since World War II. If we assemble together, in a general list comprising several thousands of statements of evidence, the whole of the material that has been published or has been communicated to the principal commissions of enquiry, and if we collate this material and subject it to a serious critical study, we are able to perceive several great "phases" in the history of the saucer phenomenon.

From 1947 to 1950, we had apparitions of objects (or of images interpreted as objects) located at great heights. These sightings were made, in general, by aeronautical specialists or by air-borne pilots, and supported by the much-discussed radarfixes. In 1950 we had the first great wave over the United States, together with a peak of sightings across Spain and North Africa. Then, in 1952, a second American wave appears (coinciding with a fresh spurt of sightings in France), and it triggers off the first great controversies among officials, scientists, and the press. In 1954 we have the great French wave which constitutes the pinnacle of the whole history of the saucer phenomenon, and which reveals that phenomenon to us in its most astonishing aspect, inasmuch as the great majority of the sightings occurred at moderate or low altitudes or, indeed, upon the ground. Since that date, the phenomenon seems to have retained its biennial pattern—with the exception of the sudden peak in October-November 1957—but the volume

of activity shows a clear diminution, and sightings in the vicinity of ground-level become rare.

Disussion of the nature of the Saucer Phenomenon is meaningless unless we establish a system for the classification of the sightings, supported by a detailed description of cases. In a recent article, I presented such a system of classification, as well as a method of coding the sightings for the purpose of statistical study. In my classification system, I defined a "Type—I Sighting" as follows: "A manifestation of the saucer phenomenon consisting in the observation, by the witnesses, of an unusual image, this image being a machine, of spherical or discoidal form or even more complex, on the surface of the ground or in proximity to the ground."

The "Martians"

Among these Type-I sightings, which attained their maximum itensity during the French wave of 1954 although they are in no way confined to that period, there appear a certain number of cases of the "Adamski" type and of obvious errors, which in our opinion should be automatically ruled out. After eliminating these, we have been able to index a total of over 350 Type-I sightings. The most interesting for the psychologist and for the investigator are the sightings in which reliable witnesses affirm that, in the vicinity of the object described by them as a "machine," they have perceived forms in human shape which they hold to be the "pilots" of these machines and which we find popularised in the press-rightly or wrongly -under the familiar name of "Martians."

The problem is an important one, from both the human and the psychological angle. When we have excluded from the list the small number of those who encounter Venusians in the desert and whose own psychological description presents no question, the witnesses reveal themselves to be individuals of very varying circumstances, belong-

ing to all races, and of all the different charactertypes. If their eyewitness accounts are coherent,
must we then proceed from there to the conclusion
that hallucination, vision, or hoax, acting in combination with the phenomena of the press have
assumed an entirely new role in our modern civilisation? That modern man, whatever his circumstances or his formation, finds it necessary to
adhere to fantastic new myths? Or should we rather
take the trouble to set our statistics in operation and
investigate more seriously the physical nature of
the apparitions, while not excluding the hypothesis
—repugnant as it is, however, to the scientific
spirit—that certain entities have indeed come,

across Space, "to visit" our planet?

If we confine ourselves to the study of the statistical aspect of the question, and if we seek to reduce our study of the lists and files to rough figures, we find that at least 153 "Martians" have been seen on the soil of our planet, this figure being broken down as follows: 16 prior to the 1954 wave, 97 during that wave, and 40 since. Are these sightings coherent and what picture of our "visitors" do we get if we seek to extract the chief features from these accounts? This is what we now propose to do. Let us begin by giving the complete list of sightings at our disposal in this investigation.

(2) List of Sightings of Unknown Objects accompanied by "Pilots"

							_
18	Date May,	1909 1921	Place Caerphilly Marseilles	Country Gt. Britain France		Description of "Pilots" 2 beings; foreign language 2 people in diving - suits (Abduction?)	Tot
	July, June,	1950 1952	Guyancourt Hasselbach	France Germany	O. and G. Linke	2 beings, height 1 metre 70 2 men in metallic one-piece suits examining soil, one of them with a sort of flash-lamp	2
12	Sept.,	1952	Flatwood	U.S.A	Mrs. K. May	on his chest	1
16	Oct., Nov., Sept.,	1952 1962 1953	Le Vigan Castel-Frc. Brovst	France Italy Germany	Nelle Ferrari	Helmeted and masked figures 3 men, clad in rubber 2 humanoids, limbs emitting golden light; rough and cold	2 3
20	Aug.,	1954	Oeydalen	Norway	N. Solvang and Jacobsen	like fish-scales pilot draws signs on a piece of paper	2
23	Aug.,	1954	Lugrin	France	Elise Blanc	2 small beings 1 metre 20 in height, silvery clothing, grunt- ing like pigs	2
	Sept.,	1954	Otton	France	a municipal councillor	"An airman got into the saucer and flew off"	1
10	Sept.,	1954	Mouriéras	France	Mazaud	A being of medium height, helmet without ear - pieces, approaches gently while gesticulating with his arm above his head, hugs him and	
10	Sept.,	1954	Quarouble	France	De Wilde	shakes hands 2 beings; very wide "divers' suits"; no arms; less than 1 metre	2
17	Sept.,	1954	Cénon-Voun	France	Y. David	Very small man in "diver's suit" strokes his arm, emits unintelligible and non-human sounds	1
	Sept., Sept.,	1954 1954	Oberdorff Santa Maria	France Azores	Paul & Moll Watchman	a silhouette figure Pilot, incomprehensible lan- guage	1
	Sept., Sept.,	1954 1954	Diges-Jolive Sierra Gardunha	France Portugal	Mlle. Fin	Man of average height 2 "aluminium men", 2 metres 50 in height; gestures inviting witnesses to get into their machine	1 2

26	Sept.,	1954	Chabeuil	France	Mme. Lebœuf	Small man in "diver's suit" 1 metre to 1 metre 10 in height; appeared to be wearing trans- parent plastic material; head blurred; eyes larger than
				_	1.11.1	human eyes
27	Sept.,	1954	Figeac	France	children	
	Sept.,	1954	Perpignau	France	schoolboy	2 beings
	Sept.,	1954	Prémanon	France	child named Romand	phantoms in sheet-metal
	Sept.	1954	Bouzais	France	Mercier	3 men
1	Oct.,	1954	Jussey	France	2 young people	2 men "dressed all in white
						and very tall," get out of the
						saucer gesturing
	Oct.,	1954	Jonches	France		2 humanoids
3	Oct.,	1954	Bressuire	France	Angelo G.	being of small stature, wearing
•	0 1	1051	**	T-	Danisis	"divers' suits"
3	Oct.,	1954	Vron, Somme	France	Devoisin	man dressed in a "diver's
		1054	C1 1 '	т.	Commen	suit"
4	Oct.,	1954	Chaleix	France	Garreau	2 normal men in khaki over-
2	0	1071	x 211 mater - 1	T		alls, speaking unknown lan-
	Oct.,	1954	Vil-Tilleul	France	D. diam.	guage, handshake
5	Oct.,	1954	Mertrud	France	Bertiaux	an unknown
-	0	1051	D 1 11	Ta . 1	A. Narcy	a hairy dwarf
5	Oct.,	1954	Roverbella	Italy	a fisherman	an individual dressed in red;
_	o .	1051	Y	T1	D. Tarage	unknown language
5	Oct.,	1954	Loctudy	France	P. Lucas	a hairy "Martian," 1 metre 20
						in height, touches arm of wit-
~	0	1054	11	T.	Loncollo	ness
	Oct.,	1954	Hennezis	France	Lanselle	2 beings
	Oct.,	1954	Isles/Suippe	France	M. Roy, etc.	small dark form, moving about
9	Oct.,	1954	Huy	Belgium	a postman	2 silhouetted forms of roughly
0		1054			I D	human appearance
	Oct.,	1954	Carcassonne	France	J.B.	2 human forms
9	Oct.,	1954	Pournoy-Ch.	France	G. Calda, etc.	Sort of man, height 1 metre
^		1054	•		Dlt	20, head hairy, big eyes
9	Oct.,	1954	Lavoux	France	Barrault	Strange being in diver's suit,
0	0.4	1054	2.50		Willer Hope	height 1 metre 50
	Oct.,	1954	Münster	Germany	Willy Hoge J. P. Mitto	4 beings, height 1 metre 20 2 beings of height of a 12-year-
9	Oct.,	1954	Briatexte	France	J. P. WILLO	old child
10	Oct	1954	Montluson	France	_	A being, either very hairy or
10	Oct.,	1754	Montuson	France		wearing hairy clothing. In-
						comprehensible language
11	Oct	1954	Toursianac	France	3 witnesses	4 beings
	Oct.,	1954	Taupignac Montbazin	France	5 withesses	1 being
	Oct.,	1954	Montluçon	France	Laugere	1 being
	Oct.,	1954	For. Mamora	Tanco	Laugoro	man dressed in shiny overalls
	Oct.,	1954	Perpignan	France	_	a person
	Oct.,	1954	Orchamps	France	M. Beuc	a pilot
	Oct.,	1954	Erbray	France	a 13-year-old child	midgets holding a flaming ball
	Oct.,	1954	Vielmur	France	Stramare	3 beings
4 64	Oct.,	1954	Bourrasole	France	M. Olivier	"diver's suit" with metallic
	Jul.,	1757	Dourtasoic	Tuno	IIII OIIIIVA	reflections
		1954	Perpignan	France	Figuères	"Diver" near a machine
13	Oct	1954	St. Ambroix	France		7 tiny beings, mysterious seeds
13 14	Oct.,			France	_	man in asbestos clothing
13 14 14	Oct.,		Calcinia Lamb		a peasant	black shape
13 14 14 14	Oct.,	1954	Chemin Long Méral	France		C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
13 14 14 14 14	Oct., Oct., Oct.,	1954 1954	Méral	France France	Starovski (aged 33)	See description in text
13 14 14 14 14 14	Oct., Oct., Oct.,	1954 1954 1954	Méral Bois d'Erchin	France	Starovski (aged 33)	See description in text
13 14 14 14 14 14	Oct., Oct., Oct.,	1954 1954	Méral		Starovski (aged 33)	A being covered in chestnut-
13 14 14 14 14 14 15	Oct., Oct., Oct., Oct., Oct.,	1954 1954 1954 1954	Méral Bois d'Erchin Livry/Seine	France France	Starovski (aged 33)	A being covered in chestnut- coloured hair
13 14 14 14 14 15	Oct., Oct., Oct., Oct., Oct.,	1954 1954 1954 1954	Méral Bois d'Erchin Livry/Seine Nimes	France France	_	A being covered in chestnut- coloured hair helmeted & masked silhouettes
13 14 14 14 14 15	Oct., Oct., Oct., Oct., Oct.,	1954 1954 1954 1954	Méral Bois d'Erchin Livry/Seine	France France	Starovski (aged 33) G. Lelay (aged 12)	A being covered in chestnut- coloured hair
13 14 14 14 14 15	Oct., Oct., Oct., Oct., Oct.,	1954 1954 1954 1954	Méral Bois d'Erchin Livry/Seine Nimes	France France	_	A being covered in chestnut- coloured hair
13 14 14 14 14 15 15	Oct., Oct., Oct., Oct., Oct., Oct.,	1954 1954 1954 1954 1954	Méral Bois d'Erchin Livry/Seine Nimes Ste. M. Herbl.	France France France France	G. Lelay (aged 12)	A being covered in chestnut- coloured hair
13 14 14 14 14 15 15 16	Oct., Oct., Oct., Oct., Oct., Oct.,	1954 1954 1954 1954 1954 1954	Méral Bois d'Erchin Livry/Seine Nimes Ste. M. Herbl.	France France France France	G. Lelay (aged 12) Dr. Robert	A being covered in chestnut- coloured hair
13 14 14 14 14 15 15 16	Oct., Oct., Oct., Oct., Oct., Oct.,	1954 1954 1954 1954 1954	Méral Bois d'Erchin Livry/Seine Nimes Ste. M. Herbl.	France France France France	G. Lelay (aged 12)	A being covered in chestnut- coloured hair

	Oct., Nov.,	1954 1954	La Madière Poggi	France Italy	A. Bousard Rossa Letti	A "diver," height 1 metre 20 2 midgets in "diving-suits"; human faces, small teeth, in-
5	Nov.,	1954	Roche-Breuil	France	Raymond R	comprehensible words 3 men, height 1 metre 50, in dark grey overalls, carrying a
13	Nov.,	1954	Curitiba	Brazil	a railway-worker	ray-box; hum of a transformer 3 midgets in tight-fitting over- alls, examining ballast of per-
25	Nov., Aug.,	1954 1955	Isola Greenhills	Italy U.S.A.	A. Lorenzini	manent way 2 midgets in "diving-suits" A midget, height 1 metre 13 (!) big shining yellow eyes, black face, shining green body,
5	Sept., June, Oct.,	1955 1957 1957	Puy de Dôme Uriman Cotes-Nord	France Venezuela France	=	claws (!!) 2 occupants of a disk 2 "bellicose dwarfs" 2 dwarfs or midgets seen through port-hole of their
9	Oct., Oct., Oct.,	1957 1957 1957	Reims, Marne Schenectady Quebra-Coco	France U.S.A. Brazil	=	machine a silhouetted figure two dark dwarfs human beings, in shining
5	Nov.,	1957	Kearney, Nebraska	U.S.A.	R. Schmidt	clothing 4 men and 2 women, speaking
6	Nov.,	1957	Everittstown	U.S.A.	Mr. & Mrs. Trasco	a sort of German An individual about 2 or 3 feet high, with green hat, gloves, prominent nose, big eyes, deep voice, with Euro-
7	Nov.,	1957	Meridian	U.S.A.	Malvan Stevens	pean (!) intonation 2 men and 1 woman, height 4 ft. friendly, amber-coloured
8	Nov.,	1957	Waterloo	U.S.A.	P. Rutledge	hair 2 forms in the cockpit of a
	Nov.,	1957	Espigao-Toca	Brazil	Zili and Ermani	machine 6 men of medium height, in
24	Oct.,	1960	In virgin forest Province of Salta	Argentine	_	"Cyclopean monster"

Total 153

(3) Statistical Interpretation of the Sightings

If we seek to extract from these records a coherent interpretation of the facts, we must agree first of all to divide these "beings" seen by the eyewitnesses into two groups. On the one hand there are men resembling ourselves, and, on the other hand, dwarfs measuring about 3ft. 6in. in height. The agreement as to this small stature is unanimous. The existence of a third kind of being (giants ,as were seen at Jussy and in the Sierra Gardunha)is supported by only two sightings, and in these cases hoax or an error in perspective may well have been involved. We will keep them however for the record.

We can consequently give a rough description of the foregoing list of sightings by saying that, of the 153 "beings" described in the eyewitnesses' accounts of 80 Type-1 sightings, 4 of the "beings" were giants, 52 were men and 44 were dwarfs, while in the remainder of the cases the description was insufficient for making a classification. These are minimum figures. It is to be particularly noted that not once has a being resembling a man been described as wearing a "diver's suit" or a respiratory apparatus* and this fact strikes us as very remarkable. This distinction with regard to the respiratory apparatus seems essential when we attempt to classify the "dwarfs."

If we are to be completely strict in our classification, we must distinguish three categories of "dwarfs," although the possibility is by no means excluded that one of these categories may ultimately be comprised within another. We will distinguish the following:

- (a) dwarfs wearing a thick, heavy "diver's suit," armless, whose faces cannot be seen, as at Quarouble.
- (b) The dwarfs wearing a light "diver's suit" or light respiratory apparatus, sometimes described as "transparent clothing," like a covering of plastic material, or like a simple mask. These "beings" have human faces. Specifically, this was the case at Lugrin and Fontenay.
- (c) The hairy-faced dwarfs, wearing no respiratory apparatus, and corresponding to the description given in the Bois d'Erchin case (see list).

The Quarouble entity is always described as appears as "a phantom in sheet-metal," or even as being like a very broad diver, in an armless divingsuit-. In the eyes of the children, he appears as "a phantom in sheet-metal," or even as "a lump of sugar with the lower half cut in two." In the newspapers he is sometimes termed a "robot." All this suggests a strongly built metallic shell, as would for example be dictated by the necessity for maintaining an atmospheric pressure very different from the one prevailing on the surface of our planet, and indeed for the retention of a gas very different from what we breathe. The "face" of these creatures has never been described, which may possibly be explained by the late hour at which all the sightings in this category have taken place, and by the nature of the creature's "divingsuit" itself. (See figure 1).

A "marked dwarf"

The Fontenay entity seems to be like a man, but of reduced stature. He has a human face, and wears a "diving-suit" with movable upper limbs. Is it perhaps the same kind of being as the Quarouble one, but wearing a lighter suit? He is sometimes described simply as "a helmeted and masked dwarf."

The Erchin entity is, of this series, the only creature reminiscent of Science-Fiction. We cannot reject it, however, for the sightings of this type of entity are comparatively numerous and are very coherent, and some of the eyewitness accounts are extremely good. If such a being exists, it can be well understood that his sudden appearance round

a bend in the road could leave on witnesses an impression difficult to forget. The best description that we have of this entity is given by the miner Starovski (aged 33):

The witness was just about to enter the Erchin forest (Bois d'Erchin), which lies some 700 metres N.W. of Erchin itself, when he suddenly beheld, at a distance of 4 metres from himself a being 3ft. 6in. in height, with a large head, wearing a brown skull-cap forming a fillet a few inches or so above the eyes. The eyes were protruding, with a very small iris, and were slit. Long hair fell down from under the skull-cap on to the shoulders. The nose was flat, and the lips were thick and red

The characteristics of these various categories of beings can be summed up in the general table on page 11.

This table represents the totality of the sightings of which we possess details, with the exception of 5 cases in which it seems that there may well have been, if not hoax pure and simple, at least a process of systematic distortion of the occurrence, either by the press, or by the witnesses themselves when under the influence of fear or excitement. These five cases to which we refer are (1) the Flatwood (Virginia) case with its somewhat too fantastic account of a horrible monster 91ft. in height; (2) the attempted kidnapping at Brovst; (3) the Roverbella incident, the description of which is so vague; (4) the Greenhills dwarf (which was probably only a large bird); and (5) the Everittstown goblin, although his gloves and green hat and deep voice (with a European sound) make him a most elegant looking Martian and certainly a most attractive one! It is to be hoped that these mythical creatures, born of the popular imagination and possessed unquestionably of a very fine artistic value—even though their scientific value is nil — will be studied in greater detail by the psychologists. These modern legends are we may be sure, linked only indirectly to the problem with which we are concerned. But what a fine illustration they provide of the eternal nature of the popular imagination!

We may also note, without however attributing anything more than an indicative value to such considerations, that the "Men" seen in the Type-1 sightings are frequently in groups of more than three, and sometimes indeed in large groups of 6 or 7 during the more recent period. It has been noted too that starting in 1957 in the USA, women have been described as being included in these groups; but this point seems to me rather suspect, and the closeness of the dates at once suggests that

	GIANTS	MEN	Heavy " Diver's Suit "	DWARFS Light "Diver's Suit"	No "Diver's Suit"
Example Definition	Jussey Giant of human form; height 2 metres 50	Chaleix Normal men, unknown language	Quarouble Wide "Diver's Suit," armless; Face invisible	Fontenay "Diver's Suit" with arms; Face human	Erchin Hairy Dwarf with protruding
Names used by the eyewitnesses and by the newspapers	" Aluminium Men "	"Aluminium Men" or "Luminous Men"	"Robots"; "Phantoms in sheet-metal"; or "Divers"	"Dwarf wearing helmet and mask"	eyes " Hairy Martian " or " Hairy Dwarf "
Words or Sounds		Unknown lan- guage, sometimes likened to Russian or German, while Americans regard it as "a broken language, as if they come from Europe"	No Sound	Unintelligible or non-human sounds: "Grunting like pigs"	
Attendant features		Flashing globes, ray-boxes, pistols, etc.		Ball of violet fire? (uncertain)	None
Average time of day at which seen	No special time	On the whole be- fore 10 a.m. and after 4 p.m.	10 p.m.	In the evening	At dawn or in the afternoon or the evening
Psychology	Numerous broad gestures; exuberance	Friendly, Handshakes	Avoid all contact	Demonstrations curiosity	of friendship,
Number of	4	52	16	60	6
Beings Number of	2	19	11	29	6
Sightings Date of First Appearance	24 Sept., 1954	Described in all periods and epochs	10 Sept., 1954	23 August, 1954	5 October, 1954


the Press may have had something to do with it, or that it was a question of hoaxers. It is however of greater interest to note that the dwarfs in divingsuits are usually seen in twos, while the dwarfs of the "Erchin being" type are always described as being alone.

Time Distribution of the Type-I Sightings

(Based on 211 sightings for which the time is known).

Note: (1) The almost total absence of sightings between 5 a.m. and 7 p.m. (2) The main peak of sightings between 7 and 8 p.m. (3) The secondary peak at dawn.


The decrease in the number of sightings during the night, with the minimum around 2 a.m. and the second peak at dawn clearly corresponds to the average times at which we work and sleep. One might with good reason assume that UFO activity remains constant during the ten night hours between 7 p.m. and 5 a.m., and that we are consequently missing about 50% of the Type-I



sightings, whereas the sightings of the other types (which are not necessarily nocturnal) are less affected by this selective factor.

According to these statistics, the total number of "landings" that must have occurred on our planet

—of which only approximately one half were seen and reported—would be in the neighbourhood of 700. But this figure takes no account of the landings that must take place in the desert regions of the Earth, or in the countries from which we receive but little information.



Map I

Map showing the Main Appearances of MEN associated with Type-I sightings in France. (All Periods).

Мар П

Map showing the Appearances of DWARFS, associated with Type-I sightings in France (All Periods).

Sighting reports . . .

From England, France, the United States of America, the Argentine and Australia

... in this issue